

SAFETY DATA SHEET

MULTI-MATE (ALL COLOURS)

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name MULTI-MATE (ALL COLOURS)
Company SEAL IT SERVICES LTD
T/A BOND IT
Unit G16 Riverbank Way,
Lowfields Business Park,
Elland,
West Yorkshire HX5 9DN
sales@bond-it.co.uk
www.bond-it.co.uk
Telephone 01422 315300
Fax 01422 315310
Emergency telephone number 07818803666
Product code BDMBL/BR/BZ/T/WH

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients

| | Conc. | CAS | EINECS | Symbols/Risk phrases |
|---|----------|------------|-----------|----------------------|
| Distillates, petroleum, hydrotreated middle | 20 - 30% | 64742-46-7 | 265-148-2 | Xn; R65 R66 |

3. HAZARDS IDENTIFICATION

Main hazards Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking.

4. FIRST AID MEASURES

Skin contact May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Eye contact May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Inhalation May cause irritation to mucous membranes. Move the exposed person to fresh air.
Ingestion May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

5. FIRE FIGHTING MEASURES

Extinguishing media Use extinguishing media appropriate to the surrounding fire conditions.
Fire hazards Burning produces irritating, toxic and obnoxious fumes.
Protective equipment Wear suitable respiratory equipment when necessary.

MULTI-MATE (ALL COLOURS)

Revision 0
Revision date

6. ACCIDENTAL RELEASE MEASURES

| | |
|----------------------------------|---|
| Personal precautions | Ensure adequate ventilation of the working area. |
| Environmental precautions | Do not allow product to enter drains. Prevent further spillage if safe. |
| Clean up methods | Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. |

7. HANDLING AND STORAGE

| | |
|-----------------|--|
| Handling | Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing. |
| Storage | Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. |

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| | |
|-----------------------------|--|
| Engineering measures | Ensure adequate ventilation of the working area. |
| Hand protection | Chemical resistant gloves (PVC) |
| Eye protection | In case of splashing, wear: Approved safety goggles. |
| Protective equipment | Wear protective clothing. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---------------------------------|---------------------|
| Description | Paste. |
| Odour | Pungent. |
| Relative density | 0.98-1.05 |
| Water solubility | insoluble in water. |
| Autoignition temperature | 400 |

10. STABILITY AND REACTIVITY

| | |
|----------------------------|---------------------------------|
| Stability | Stable under normal conditions. |
| Conditions to avoid | Moisture. |

11. TOXICOLOGICAL INFORMATION

| | |
|-----------------------|----------------------------------|
| Acute toxicity | No known adverse health effects. |
|-----------------------|----------------------------------|

12. ECOLOGICAL INFORMATION

| | |
|----------------------|----------------------------|
| Degradability | Not readily biodegradable. |
|----------------------|----------------------------|

13. DISPOSAL CONSIDERATIONS

| | |
|----------------------------|--|
| General information | Dispose of in compliance with all local and national regulations. Dispose of as special waste in compliance with local and national regulations. |
|----------------------------|--|

14. TRANSPORT INFORMATION

| | |
|----------------------------|--|
| Further information | The product is not classified as dangerous for carriage. |
|----------------------------|--|

15. REGULATORY INFORMATION

| | |
|-----------------------|---|
| Risk phrases | R65 - Harmful: may cause lung damage if swallowed. R66 - Repeated exposure may cause skin dryness or cracking. |
| Safety phrases | S62 - If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. |

MULTI-MATE (ALL COLOURS)

Revision 0
Revision date

16. OTHER INFORMATION

Text of risk phrases in Section 2

R65 - Harmful: may cause lung damage if swallowed.
R66 - Repeated exposure may cause skin dryness or cracking.

General information

The data contained in this Safety Data Sheet has been supplied as required by the Chemical (hazard Identification and Packaging) regulations 1993, as amended, for the purpose of protecting the health and safety of industrial and commercial users who are deemed capable of understanding and acting on the information provided. Please ensure that it is passed to the appropriate person(s) in your company, who are capable of acting on the information. This information is given in good faith, being based on the latest knowledge available to Bond It. No known relevant information has been omitted from this Material Safety Data Sheet and the information provided is designed to enable the user to use the product safely. The user should not assume on the basis of the information provided in this sheet that the product is suitable for any abnormal use. If the information provided is insufficient to ensure safety in any particular application, contact Bond It for further advice before the proposed application is undertaken.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.